



Certificate No : MD00/3185/0007/1

SHANXI TAIGANG STAINLESS STEEL CO., LTD.
Stainless Steel Hot Rolling Mill
Jiancaoping Street No. 2
Taiyuan
China, People's Republic of

has been approved as a manufacturer in accordance with the requirements of
Lloyd's Register for :-

Steelmaking, Semi-Finished Products and Plates

This approval is subject to compliance with the Rules for the Manufacture, Testing
and Certification of Materials. The full details of the processes and grades to
which this approval applies are given in the Appendix of this certificate.

Lloyd's Register is to be notified of any change that may affect the validity of this
Certificate.

This Certificate is issued to the above manufacturer and is valid until the date
given below.

Valid Until : 17 August 2017
Date of Issue : 16 October 2014

Lili Hou
Senior Specialist to Lloyd's Register EMEA
A member of the Lloyd's Register group




Certificate No : MD00/3185/0007/1

Appendix 1

SHANXI TAIGANG STAINLESS STEEL CO., LTD.
Stainless Steel Hot Rolling Mill
Jiancaoping Street No. 2
Taiyuan
China, People's Republic of

Steelmaking	E.A.F./A.O.D./Con Cast	Grades	
		As below	
Semi-Finished Products	Slabs	Grades	mm thickness Maximum
		As below	200.0
Plates	Austenitic Stainless	Grades	mm thickness Maximum
Solution Treated	-	304L, 316L	20.0
Plates	Duplex Stainless	Grades	mm thickness Maximum
Solution Treated	-	UNS S31803	20.0

Valid Until : 17 August 2017
Date of Issue : 16 October 2014


Lili Hou
Senior Specialist to Lloyd's Register EMEA
A member of the Lloyd's Register group

1410557

TO	LR Dalian	DATE 16 October 2014
FROM	Materials and NDE	YOUR REF OUR REF MAT/M3185/LHE/
SUBJECT	Scope of Approval SHANXI TAIGANG STAINLESS STEEL CO., LTD. Stainless Steel Hot Rolling Mill Jiancaoping Street No. 2 Taiyuan China, People's Republic of	

MAKE OF APPROVED TESTING MACHINE	TYPE	MACHINE NUMBER	CAPACITY	UNIT
	Impact	075	300	Joules
	Tensile	470	100	kN

Steelmaking	E.A.F./A.O.D./Con Cast	Grades	
		As below	
Semi-Finished Products	Slabs	Grades	mm thickness Maximum
		As below	200.0
Plates	Austenitic Stainless	Grades	mm thickness Maximum
Solution Treated	-	304L, 316L	20.0
Plates	Duplex Stainless	Grades	mm thickness Maximum
Solution Treated	-	UNS S31803	20.0